

2D Barrier Bag Systems and 3D Multilayer Assembly Bags

Quality bag solutions that provide ultimate customization, quick-turn design, and fast delivery

Bringing the benefits of ultimate customization, fast design, and delivery to cell culture applications, Entegris offers customized 2D barrier bag systems and 3D multilayer assembly bags. Applying decades of experience and materials expertise, we provide complete solutions for upstream and downstream applications.

Whether you need 2D or 3D configurations, we can customize clean aseptic bags, mixing bags, purification bags, motion bags, chemical resistant bags, autoclave bags, in-facility transport bags, storage bags, ADC or MAB processing bags, and more.

2D Barrier Bag Systems

We offer a range of robust, standard 2D pillow bags that are customized for use in biopharmaceutical applications. Available with 1 – 2 port, 2 – 3 port, or 3+ ports, our quick-turn 2D bag solutions can be seamlessly combined with our customized tube set solutions and accessories to meet your specific processing needs.

3D Multilayer Assembly Bags

Our 3D multilayer assembly bags provide triple barrier containment, ideal for medium to large, single-use biopharmaceutical applications. All 3D bag solutions are also custom tailored to your application and designed with tubing and accessories that meet your specific processing needs and provide a complete large-volume solution.



Standard Features

- 2D barrier bags and 3D multilayer assembly bags and associated components are sterilized using gamma irradiation between 25 – 40 kGy, unless requested otherwise
- Extractables and leachables (E&L) data available for all contact materials
- Full traceability for all materials
- Certificates of analysis provided for each lot
- Manufactured under a quality system designed to be compliant to 21 CFR Part 820: Quality System Regulation

APPLICATIONS

- Secure storage and transport of sterile liquids
- Chromatography collection
- Containment of products for irradiation
- Easy freeze/thaw solution applications
- Solution transfers to bioreactors

FEATURES & BENEFITS

Customizable system design

Provides design flexibility and allows the system to fit the process rather than the process adapt to the system

Quick-turn customer service

Consistently fast development and delivery minimize the risk of production delays

Personalized timely and knowledgeable attention ensures the solution meets your unique needs

SPECIFICATIONS

2D barrier bag systems

Configurations	1 – 2 port, 2 – 3 port, 3-ports
Sizes	50 mL, 100 mL, 1 L, 2 L, 5 L, 10 L, 20 L, 50 L
Ports	Male and female connections from Luer locks to aseptic, injection sites, etc.
Tubing	1/8" to 1/4" inside diameter 24" standard length
Handling options	Hanging rods or handles
Materials of construction	<p>Robust multilayer, single-ply Flex 200 film</p> <p>This design provides strength and low gas permeability, which is well suited for growing mammalian and plant culture cell lines with extended rocking times.</p> <ul style="list-style-type: none">• Total 11 mil thickness• Inner product contact layer: Flex 100 low density polyethylene (LDPE)• Outer layer: Flex 150 ethylene vinyl alcohol (EVOH)/nylon <p>Non-cholesterol binding, single-ply film</p> <p>This design is extremely durable, autoclavable, and has non-cholesterol binding properties that yield superior results in growing NS0 and other cholesterol-sensitive clones.</p> <ul style="list-style-type: none">• 8 mil thickness• Single-layer barrier: Flex 400 polyvinylidene fluoride (PVDF) film <p>Standard 2-ply film*</p> <p>This design provides strength and low gas permeability, which is well suited for growing mammalian and plant culture cell lines.</p> <ul style="list-style-type: none">• Total 9 mil thickness• Inner product contact barrier: Flex 100 LDPE• Outer barrier: Flex 150 EVOH/nylon <p>Standard 3-ply film**</p> <p>Provides strength and low gas permeability with an additional barrier to increase mechanical strength and provide an additional level of security. Ideal for growing mammalian and plant culture cell lines.</p> <ul style="list-style-type: none">• Total 13 mil thickness• Inner product contact barrier: Flex 100 LDPE• Middle barrier: Flex 100 LDPE• Outer barrier: Flex 150 EVOH/nylon

**2-ply is a single inner LDPE barrier plus an outer barrier of LDPE/EVOH/nylon/LDPE, with the inner barrier placed inside the outer to create a 2-ply chamber.*

***3-ply includes two inner LDPE barriers plus an outer barrier of LDPE/EVOH/NYLON/LDPE, with the inner barriers placed inside the outer to create a 3-ply chamber.*

SPECIFICATIONS (CONTINUED)

3D multilayer assembly bags

Configurations	1 to 5 ports
Sizes	50 L, 100 L, 200 L, 500 L, 1000 L
Ports	Male and female Luer locks, quick connect inserts and couplers, bottom drain
Tubing	1/8" to 3/4" inside diameter 36 – 48" standard length
Diptubes	Available for multiple mixing applications. Contact Entegris with your requirements.
Materials of construction	Standard 2-ply film* This design provides strength and low gas permeability and is ideally suited for growing mammalian and plant culture cell lines <ul style="list-style-type: none">• Inner product contact barrier: Flex 100 LDPE• Outer barrier: Flex 150 EVOH/nylon

**2-ply is a single inner LDPE barrier plus an outer barrier of LDPE/EVOH/nylon/LDPE, with the inner barrier placed inside the outer to create a 2-ply chamber.*

FOR MORE INFORMATION

Please call your Regional Customer Service Center today to learn what Entegris can do for you. Visit entegris.com and select the [Contact Us](#) link to find the customer service center nearest you.

TERMS AND CONDITIONS OF SALE

All purchases are subject to Entegris' Terms and Conditions of Sale. To view and print this information, visit entegris.com and select the [Terms & Conditions](#) link in the footer.



Corporate Headquarters

129 Concord Road
Billerica, MA 01821
USA

Customer Service

Tel +1 952 556 4181
Fax +1 952 556 8022
Toll Free 800 394 4083

Entegris®, the Entegris Rings Design®, and other product names are trademarks of Entegris, Inc. as listed on entegris.com/trademarks. All third-party product names, logos, and company names are trademarks or registered trademarks of their respective owners. Use of them does not imply any affiliation, sponsorship, or endorsement by the trademark owner.

©2019-2020 Entegris, Inc. | All rights reserved. | Printed in the USA | 9000-10878ENT-0120